



ATELIER

STONE PRODUCTS
UNLIMITED, INC

Bone 5" x 5" Cross SPUI-903461


| Bone 6.5" x 6.5" Star SPUI-903465

ATELIER CROSS

5" x 5"

ATELIER 5" X 5"
CROSS IN PORCELAIN


STONE PRODUCTS
UNLIMITED, INC




Bone	
Stock Item	
SPUI-903461	Matte



Smoke	
Stock Item	
SPUI-903462	Matte



Fawn	
Stock Item	
SPUI-903463	Matte



Terracotta	
Stock Item	
SPUI-903464	Matte

ATELIER 5" X 5" CROSS IN PORCELAIN

STONE PRODUCTS
UNLIMITED, INC

COLOR	SKU	TYPE	THICKNESS	SHAPE	SIZE	PCS PER BOX	SQFT PER BOX	LBS PER BOX	EDGE
Bone	SPUI-903461	Tile	8mm	Cross	5" x 5"	34	5.31	17.70	Pressed
Smoke	SPUI-903462	Tile	8mm	Cross	5" x 5"	34	5.31	17.70	Pressed
Fawn	SPUI-903463	Tile	8mm	Cross	5" x 5"	34	5.31	17.70	Pressed
Terracotta	SPUI-903464	Tile	8mm	Cross	5" x 5"	34	5.31	17.70	Pressed




Smoke 5" x 5" Cross SPUI-903462 | Smoke 6.5" x 6.5" Star SPUI-903466

ATELIER STAR


6.5" x 6.5"

ATELIER 6.5" X 6.5"
STAR IN PORCELAIN


STONE PRODUCTS
UNLIMITED, INC




Bone	
Stock Item	
SPUI-903465	Matte



Smoke	
Stock Item	
SPUI-903466	Matte



Fawn	
Stock Item	
SPUI-903467	Matte



Terracotta	
Stock Item	
SPUI-903468	Matte

ATELIER 6.5" X 6.5" STAR IN PORCELAIN

STONE PRODUCTS
UNLIMITED, INC

COLOR	SKU	TYPE	THICKNESS	SHAPE	SIZE	PCS PER BOX	SQFT PER BOX	LBS PER BOX	EDGE
Bone	SPUI-903465	Tile	8mm	Star	6.5" x 6.5"	34	5.31	22.53	Pressed
Smoke	SPUI-903466	Tile	8mm	Star	6.5" x 6.5"	34	5.31	22.53	Pressed
Fawn	SPUI-903467	Tile	8mm	Star	6.5" x 6.5"	34	5.31	22.53	Pressed
Terracotta	SPUI-903468	Tile	8mm	Star	6.5" x 6.5"	34	5.31	22.53	Pressed



Fawn 5" x 5" Cross SPUI-903463 | Bone 6.5" x 6.5" Star SPUI-903465

TECHNICAL INFORMATION

Tile collection performance based on industry standards.

PERFORMANCE CHARACTERISTICS



Water Absorption

≤0.5%



Scratch Hardness

N/A



Breaking Strength

>1300 N



Shade Variation

V2



DCOF

R9



Chemical Resistance

Resistant

APPLICATION

APPLICATION	DRY & LEVEL INTERIOR FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	INTERIOR WALL	POOL LINING	COUNTERTOPS	SHOWER FLOOR	SHOWER WALL
RESIDENTIAL	X		X	X	X	X	X	X
COMMERCIAL	X		X	X	X	X	X	X

INSTALLATION

GROUT RECOMMENDATION

MIN. 3/8"

DISCOVER MORE AT:
WWW.SPUI.NET

